



Industrial Belt

Classical V-Belt

Narrow V-Belt

Joined V-Belt


V-Ribbed Belt

Timing Belt

Industrial Belt - Classical V-Belt

Wrapped Belt

V-shape belt with surface covered with fabrics.




Features

- Cover fabrics enhance durability by protecting inner parts.
- Specially designed cords enhance durability and length stability.
- Excellent in resistance against heat, oil and wear.
- Safe use is ensured by preventing static electricity.
- Enhances power transmission efficiency by reducing slip.

Construction	Functions	Materials
① Cover fabric	Protects the inner parts of the belt and strong abrasion on the pulley groove	Cotton fabric, Polyester, Cotton synthetic fabric
② Tension member	Primary material for transferring power	Polyester, Aramid
③ Top compression rubber	Maintains belt shape (upper)	NR, CR
④ Adhesive rubber	Supports and protects tension member adhesion	NR, CR
⑤ Bottom compression rubber	Maintains belt shape (lower)	NR, CR

NR : Natural Rubber / CR : Chloroprene Rubber


Nominal Dimension



M Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)	Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
M 17(inch)	1.78	0.025	435	M 41	2.49	0.061	1044
M 19	1.82	0.028	486	M 42	2.53	0.062	1070
M 20	1.84	0.030	511	M 46	2.70	0.068	1171
M 21	1.87	0.031	536	M 47	2.75	0.070	1197
M 22	1.89	0.033	562	M 48	2.79	0.071	1222
M 23	1.91	0.034	587	M 50	2.89	0.074	1273
M 24	1.94	0.036	613	M 54	3.09	0.080	1375
M 25	1.96	0.037	638	M 55	3.14	0.081	1400
M 27	2.02	0.040	689	M 62	3.53	0.092	1578
M 29	2.07	0.043	740	M 63	3.59	0.093	1603
M 30	2.10	0.044	765	M 71	4.09	0.105	1806
M 31	2.14	0.046	790	M 81	4.80	0.120	2060
M 32	2.17	0.047	816	M 82	4.88	0.121	2086
M 34	2.23	0.050	867	M 83	4.96	0.123	2111
M 35	2.27	0.052	892	M 84	5.03	0.124	2137
M 36	2.30	0.053	917	M 87	5.27	0.129	2213
M 40	2.45	0.059	1019	M 90	5.52	0.133	2289

Nominal Dimension



A Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
A 24(inch)	1.81	0.069	638
A 26	1.96	0.075	689
A 27	2.03	0.078	714
A 28	2.11	0.081	739
A 29	2.18	0.084	765
A 30	2.26	0.087	790
A 31	2.33	0.090	816
A 32	2.41	0.093	841
A 33	2.48	0.095	866
A 34	2.55	0.098	892
A 35	2.63	0.101	917
A 36	2.70	0.104	943
A 37	2.78	0.107	968
A 38	2.85	0.110	993
A 39	2.92	0.113	1019
A 40	3.00	0.116	1044
A 41	3.07	0.119	1070
A 42	3.15	0.121	1095
A 43	3.22	0.124	1120
A 44	3.29	0.127	1146
A 45	3.37	0.130	1171
A 46	3.44	0.133	1197
A 47	3.52	0.136	1222
A 48	3.59	0.139	1247
A 49	3.66	0.142	1273
A 50	3.74	0.145	1298
A 51	3.81	0.147	1324
A 52	3.88	0.150	1349
A 53	3.96	0.153	1374
A 54	4.03	0.156	1400
A 55	4.10	0.159	1425
A 56	4.18	0.162	1451
A 57	4.25	0.165	1476
A 58	4.33	0.168	1501
A 59	4.40	0.171	1527
A 60	4.47	0.174	1552
A 61	4.55	0.176	1578
A 62	4.62	0.179	1603
A 63	4.69	0.182	1628
A 64	4.77	0.185	1654

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
A 65	4.84	0.188	1679
A 66	4.91	0.191	1705
A 67	4.98	0.194	1730
A 68	5.06	0.197	1755
A 69	5.13	0.200	1781
A 70	5.20	0.202	1806
A 71	5.28	0.205	1832
A 72	5.35	0.208	1857
A 73	5.42	0.211	1882
A 74	5.50	0.214	1908
A 75	5.57	0.217	1933
A 76	5.64	0.220	1959
A 77	5.71	0.223	1984
A 78	5.79	0.226	2009
A 79	5.86	0.228	2035
A 80	5.93	0.231	2060
A 81	6.01	0.234	2086
A 82	6.08	0.237	2111
A 83	6.15	0.240	2136
A 84	6.22	0.243	2162
A 85	6.30	0.246	2187
A 86	6.37	0.249	2213
A 87	6.44	0.252	2238
A 88	6.51	0.254	2263
A 89	6.59	0.257	2289
A 90	6.66	0.260	2314
A 91	6.73	0.263	2340
A 92	6.80	0.266	2365
A 93	6.88	0.269	2390
A 94	6.95	0.272	2416
A 95	7.02	0.275	2441
A 96	7.09	0.278	2467
A 97	7.16	0.281	2492
A 98	7.24	0.283	2517
A 100	7.38	0.289	2568
A 103	7.60	0.298	2644
A 105	7.74	0.304	2695
A 110	8.10	0.318	2822
A 112	8.24	0.392	2873
A 120	8.82	0.420	3076

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
A 128	9.39	0.448	3279
A 136	9.96	0.476	3483
A 144	10.52	0.504	3686

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
A 158	11.51	0.553	4041
A 173	12.56	0.605	4422
A 180	13.04	0.630	4600

Nominal Dimension



B Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
B 28(inch)	2.22	0.132	746
B 32	2.65	0.151	847
B 34	2.87	0.160	898
B 35	2.98	0.165	924
B 36	3.09	0.170	949
B 37	3.19	0.175	974
B 38	3.30	0.179	1000
B 40	3.52	0.189	1051
B 41	3.63	0.194	1076
B 42	3.73	0.198	1101
B 43	3.84	0.203	1127
B 44	3.95	0.208	1152
B 45	4.06	0.212	1178
B 46	4.16	0.217	1203
B 47	4.27	0.222	1228
B 48	4.38	0.227	1254
B 49	4.48	0.231	1279
B 50	4.59	0.236	1305
B 51	4.70	0.241	1330
B 52	4.81	0.245	1355
B 53	4.91	0.250	1381
B 54	5.02	0.255	1406
B 55	5.13	0.260	1432
B 56	5.23	0.264	1457
B 57	5.34	0.269	1482
B 58	5.45	0.274	1508
B 59	5.55	0.278	1533
B 60	5.66	0.283	1559
B 61	5.77	0.288	1584
B 62	5.87	0.293	1609
B 63	5.98	0.297	1635
B 64	6.08	0.302	1660
B 65	6.19	0.307	1686

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
B 66	6.30	0.312	1711
B 67	6.40	0.316	1736
B 68	6.51	0.321	1762
B 69	6.61	0.326	1787
B 70	6.72	0.330	1813
B 71	6.83	0.335	1838
B 72	6.93	0.340	1863
B 73	7.04	0.345	1889
B 74	7.14	0.349	1914
B 75	7.25	0.354	1940
B 76	7.35	0.359	1965
B 77	7.46	0.363	1990
B 78	7.56	0.368	2016
B 79	7.67	0.373	2041
B 80	7.77	0.378	2067
B 81	7.88	0.382	2092
B 82	7.99	0.387	2117
B 83	8.09	0.392	2143
B 84	8.19	0.396	2168
B 85	8.30	0.401	2194
B 86	8.40	0.406	2219
B 87	8.51	0.411	2244
B 88	8.61	0.415	2270
B 89	8.72	0.420	2295
B 90	8.82	0.425	2321
B 91	8.93	0.430	2346
B 92	9.03	0.434	2371
B 93	9.14	0.439	2397
B 94	9.24	0.444	2422
B 95	9.34	0.448	2448
B 96	9.45	0.453	2473
B 97	9.55	0.458	2498
B 98	9.66	0.463	2524

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
B 99	9.76	0.467	2549
B 100	9.86	0.472	2575
B 103	10.18	0.486	2651
B 105	10.38	0.496	2702
B 108	10.69	0.510	2778
B 112	11.11	0.555	2879
B 120	11.93	0.595	3083
B 124	12.34	0.615	3184
B 128	12.75	0.634	3286
B 133	13.26	0.659	3413
B 136	13.56	0.674	3489
B 140	13.97	0.694	3591
B 144	14.37	0.714	3692
B 148	14.78	0.734	3794
B 150	14.98	0.744	3845

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
B 154	15.38	0.763	3946
B 158	15.78	0.783	4048
B 162	16.18	0.803	4149
B 173	17.28	0.858	4429
B 180	17.97	0.892	4607
B 195	19.44	0.967	4988
B 205	20.42	1.016	5242
B 210	20.90	1.041	5369
B 225	22.35	1.115	5750
B 240	23.78	1.190	6131
B 255	25.20	1.264	6512
B 270	26.60	1.338	6893
B 285	27.98	1.413	7274
B 300	29.36	1.487	7655
B 315	30.72	1.561	8036

Nominal Dimension




C Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
C 51(inch)	5.31	0.415	1339
C 55	6.03	0.448	1441
C 60	6.93	0.489	1568
C 68	8.38	0.554	1771
C 72	9.11	0.586	1873
C 75	9.66	0.611	1949
C 78	10.21	0.635	2025
C 81	10.76	0.660	2101
C 85	11.50	0.692	2203
C 90	12.42	0.733	2330
C 100	14.28	0.814	2584
C 105	15.21	0.855	2711
C 109	15.96	0.888	2813
C 112	16.53	0.960	2889
C 120	18.03	1.029	3092
C 124	18.79	1.063	3194
C 128	19.55	1.098	3295
C 136	21.08	1.166	3498
C 144	22.61	1.235	3702

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
C 150	23.77	1.286	3854
C 158	25.31	1.355	4057
C 162	26.09	1.389	4159
C 173	28.24	1.483	4438
C 180	29.62	1.544	4616
C 195	32.59	1.672	4997
C 210	35.59	1.801	5378
C 225	38.62	1.929	5759
C 240	41.68	2.058	6140
C 255	44.77	2.187	6521
C 270	47.89	2.315	6902
C 285	51.04	2.444	7283
C 300	54.22	2.573	7664
C 315	57.43	2.701	8045
C 330	60.67	2.830	8426
C 345	63.94	2.958	8807
C 360	67.23	3.087	9188
C 390	73.92	3.344	9950
C 420	80.73	3.602	10712

Nominal Dimension




D Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
D 120(inch)	33.12	1.998	3108
D 128	35.83	2.131	3311
D 144	41.18	2.397	3717
D 158	45.79	2.630	4073
D 162	47.09	2.697	4174
D 173	50.66	2.880	4454
D 180	52.91	2.996	4632
D 195	57.67	3.246	5013
D 210	62.35	3.496	5394
D 225	66.97	3.745	5775
D 240	71.50	3.995	6156
D 255	75.97	4.245	6537

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
D 270	80.36	4.494	6918
D 285	84.67	4.744	7299
D 300	88.92	4.994	7680
D 315	93.08	5.243	8061
D 330	97.18	5.493	8442
D 345	101.20	5.743	8823
D 360	105.14	5.993	9204
D 390	112.81	6.492	9966
D 420	120.18	6.991	10728
D 450	127.25	7.491	11490
D 480	134.03	7.990	12252
D 540	146.70	8.988	13776

Nominal Dimension



E Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
E 180(inch)	72.20	4.559	4647
E 195	78.63	4.939	5028
E 210	84.97	5.318	5409
E 240	97.40	6.078	6171
E 270	109.49	6.838	6933
E 300	121.23	7.598	7695
E 330	132.63	8.358	8457

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
E 360	143.69	9.117	9219
E 390	154.41	9.879	9981
E 420	164.79	10.637	10743
E 480	184.52	12.156	12267
E 540	202.88	13.676	13791
E 600	219.87	15.196	15315

Industrial Belt - Classical V-Belt

Raw Edge Cogged Belt

V-belt with cog-shaped grooves on the bottom to enhance flexibility while top and bottom parts are covered with rubber or fabric is exposed on sides.




Features

- Excellent durability and flexibility in driving.
- Specially designed cords enhance durability and length stability.
- Excellent in resistance against heat, oil and wear.
- High power transmission efficiency.
- Can be used on small pulleys.
- Show stable performance on high speed rotation.

Construction	Functions	Materials
① Top fabric	Protects internal tension member	Cotton fabric, Polyester, Cotton synthetic fabric
② Tension member	Primary material for transferring power	Polyester, Aramid
③ Compression rubber	Maintains sectional shape by side pressure	CR
④ Bottom rubber	Absorbs shock and prevent cracking in compression rubber	CR

NR: Natural Rubber / CR: Chloroprene Rubber

Nominal Dimension




AX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)	Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
AX 21(inch)	2.27	0.065	592	AX 40	3.33	0.124	1074
AX 22	2.33	0.068	617	AX 41	3.38	0.127	1100
AX 23	2.38	0.071	643	AX 42	3.44	0.130	1125
AX 24	2.44	0.074	668	AX 43	3.49	0.133	1151
AX 26	2.55	0.081	719	AX 44	3.54	0.136	1176
AX 27	2.61	0.084	744	AX 45	3.60	0.139	1201
AX 28	2.66	0.087	770	AX 46	3.65	0.143	1227
AX 29	2.72	0.090	795	AX 47	3.71	0.146	1252
AX 31	2.83	0.096	846	AX 48	3.76	0.149	1278
AX 32	2.88	0.099	871	AX 49	3.82	0.152	1303
AX 33	2.94	0.102	897	AX 50	3.87	0.155	1328
AX 34	3.00	0.105	922	AX 51	3.93	0.158	1354
AX 35	3.05	0.108	947	AX 52	3.98	0.161	1379
AX 36	3.11	0.112	973	AX 53	4.03	0.164	1405
AX 37	3.16	0.115	998	AX 54	4.09	0.167	1430
AX 38	3.22	0.118	1024	AX 55	4.14	0.170	1455
AX 39	3.27	0.121	1049	AX 56	4.19	0.174	1481

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
AX 57	4.25	0.177	1506
AX 58	4.30	0.180	1532
AX 59	4.36	0.183	1557
AX 60	4.41	0.186	1582
AX 61	4.46	0.189	1608
AX 62	4.52	0.192	1633
AX 63	4.57	0.195	1659
AX 64	4.62	0.198	1684
AX 65	4.68	0.201	1709
AX 66	4.73	0.205	1735
AX 67	4.78	0.208	1760
AX 68	4.83	0.211	1786
AX 69	4.89	0.214	1811
AX 70	4.94	0.217	1836
AX 71	4.99	0.220	1862
AX 72	5.04	0.223	1887
AX 73	5.10	0.226	1913
AX 74	5.15	0.229	1938
AX 75	5.20	0.232	1963
AX 76	5.25	0.236	1989
AX 77	5.31	0.239	2014
AX 78	5.36	0.242	2040
AX 79	5.41	0.245	2065
AX 80	5.46	0.248	2090

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
AX 81	5.51	0.251	2116
AX 82	5.57	0.254	2141
AX 85	5.72	0.263	2217
AX 86	5.77	0.267	2243
AX 87	5.82	0.270	2268
AX 88	5.88	0.273	2294
AX 90	5.98	0.279	2344
AX 91	6.03	0.282	2370
AX 92	6.08	0.285	2395
AX 93	6.13	0.288	2421
AX 94	6.18	0.291	2446
AX 96	6.28	0.298	2497
AX 97	6.33	0.301	2522
AX 98	6.38	0.304	2548
AX 103	6.64	0.325	2675
AX 105	6.74	0.325	2725
AX 110	6.99	0.341	2852
AX 112	7.09	0.347	2903
AX 120	7.48	0.372	3106
AX 128	7.87	0.399	3310
AX 144	8.63	0.446	3716
AX 173	9.97	0.536	4453
AX 200	11.16	0.620	5138

Nominal Dimension



BX Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
BX 23(inch)	3.83	0.116	655
BX 28	4.32	0.141	782
BX 32	4.72	0.161	884
BX 34	4.92	0.171	935
BX 35	5.01	0.176	960
BX 36	5.11	0.181	986
BX 37	5.21	0.187	1011
BX 38	5.31	0.192	1036
BX 40	5.50	0.202	1087
BX 41	5.60	0.207	1113
BX 42	5.70	0.212	1138
BX 43	5.80	0.217	1163

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
BX 44	5.89	0.222	1189
BX 46	6.09	0.232	1240
BX 48	6.28	0.242	1290
BX 50	6.47	0.252	1341
BX 51	6.57	0.257	1367
BX 52	6.66	0.262	1392
BX 53	6.76	0.267	1417
BX 54	6.85	0.272	1443
BX 55	6.95	0.277	1468
BX 56	7.04	0.282	1494
BX 57	7.14	0.287	1519
BX 58	7.23	0.292	1544

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
BX 59	7.33	0.297	1570
BX 60	7.42	0.302	1595
BX 61	7.51	0.308	1621
BX 62	7.61	0.313	1646
BX 63	7.70	0.318	1671
BX 64	7.80	0.323	1697
BX 65	7.89	0.328	1722
BX 66	7.98	0.333	1748
BX 67	8.08	0.338	1773
BX 68	8.17	0.343	1798
BX 70	8.36	0.353	1849
BX 71	8.45	0.358	1875
BX 72	8.54	0.363	1900
BX 73	8.63	0.368	1925
BX 74	8.73	0.373	1951
BX 75	8.82	0.378	1976
BX 77	9.00	0.388	2027
BX 78	9.09	0.393	2052
BX 79	9.18	0.398	2078
BX 80	9.28	0.403	2103
BX 81	9.37	0.408	2129
BX 82	9.46	0.413	2154
BX 83	9.55	0.418	2179
BX 84	9.64	0.423	2205
BX 85	9.73	0.428	2230
BX 86	9.82	0.434	2256
BX 87	9.91	0.439	2281
BX 90	10.18	0.454	2357
BX 92	10.36	0.464	2408

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
BX 93	10.45	0.469	2433
BX 95	10.63	0.479	2484
BX 96	10.71	0.484	2510
BX 97	10.80	0.489	2535
BX 99	10.98	0.499	2586
BX 100	11.07	0.504	2611
BX 103	11.33	0.519	2687
BX 105	11.51	0.529	2738
BX 106	11.59	0.534	2764
BX 108	11.77	0.544	2814
BX 112	12.11	0.564	2916
BX 113	12.20	0.570	2941
BX 115	12.37	0.580	2992
BX 116	12.46	0.584	3018
BX 120	12.80	0.605	3119
BX 124	13.14	0.624	3221
BX 126	13.30	0.634	3272
BX 128	13.47	0.644	3322
BX 133	13.89	0.670	3449
BX 136	14.14	0.685	3526
BX 144	14.79	0.725	3729
BX 150	15.27	0.756	3881
BX 158	15.91	0.794	4084
BX 162	16.23	0.814	4186
BX 173	17.08	0.871	4465
BX 180	17.61	0.906	4643
BX 195	18.73	0.982	5024
BX 200	19.09	1.006	5151

Nominal Dimension




CX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
CX 40(inch)	8.37	0.333	1125
CX 51	10.16	0.425	1405
CX 60	11.59	0.500	1633
CX 68	12.82	0.567	1836
CX 75	13.87	0.625	2014
CX 81	14.76	0.675	2167
CX 85	15.34	0.708	2268

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
CX 90	16.05	0.750	2395
CX 96	16.90	0.800	2548
CX 100	17.45	0.833	2649
CX 112	19.06	0.933	2954
CX 120	20.10	0.999	3157
CX 195	28.37	1.625	5062
CX 200	28.83	1.667	5189

Industrial Belt - Narrow V-Belt

Wrapped Belt




Features

- Designed to enhance power transmission efficiency by giving even stress over tension member with a special sectional shape of narrower top width and taller height, special raw materials and production technique.

Construction	Functions	Materials
① Cover fabric	Protects the inner parts of the belt and strong abrasion on the pulley groove	Cotton fabric, Polyester, Cotton synthetic fabric
② Tension member	Primary material for transferring power	Polyester, Aramid
③ Top compression rubber	Maintains belt shape (upper)	NR, CR
④ Adhesive rubber	Supports and protects Tension member adhesion	NR, CR
⑤ Bottom compression rubber	Maintains belt shape (lower)	NR, CR

NR : Natural Rubber / CR : Chloroprene Rubber


Nominal Dimension



3V Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)	Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
3V 250(10in.)	3.47	0.050	642	3V 630	4.80	0.125	1607
3V 265	3.51	0.053	680	3V 670	5.00	0.133	1709
3V 280	3.55	0.056	718	3V 710	5.20	0.141	1810
3V 300	3.60	0.059	769	3V 750	5.42	0.149	1912
3V 315	3.64	0.062	807	3V 800	5.70	0.159	2039
3V 335	3.69	0.066	858	3V 850	6.00	0.169	2166
3V 355	3.75	0.070	908	3V 900	6.31	0.178	2293
3V 375	3.81	0.074	959	3V 950	6.64	0.188	2420
3V 400	3.89	0.079	1023	3V 1000	6.99	0.198	2547
3V 425	3.97	0.084	1086	3V 1060	7.42	0.210	2699
3V 450	4.06	0.089	1150	3V 1120	7.88	0.222	2852
3V 475	4.15	0.094	1213	3V 1180	8.37	0.234	3004
3V 500	4.25	0.099	1277	3V 1250	8.96	0.248	3182
3V 530	4.36	0.105	1353	3V 1320	9.58	0.262	3360
3V 560	4.49	0.111	1429	3V 1400	10.33	0.278	3563
3V 600	4.67	0.119	1531				

Nominal Dimension




5V Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 500(10in.)	7.25	0.272	1274
5V 560	8.23	0.305	1427
5V 630	9.41	0.343	1605
5V 670	10.10	0.365	1706
5V 710	10.80	0.386	1808
5V 750	11.52	0.408	1909
5V 800	12.43	0.435	2036
5V 850	13.37	0.463	2163
5V 900	14.32	0.490	2290
5V 950	15.30	0.517	2417
5V 1000	16.29	0.544	2544
5V 1060	17.51	0.577	2697
5V 1120	18.76	0.610	2849
5V 1180	20.04	0.642	3002
5V 1250	21.57	0.680	3179
5V 1320	23.13	0.718	3357
5V 1400	24.97	0.762	3560

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 1500	27.34	0.816	3814
5V 1600	29.79	0.871	4068
5V 1700	32.32	0.925	4322
5V 1800	34.93	0.980	4576
5V 1900	37.62	1.034	4830
5V 2000	40.39	1.088	5084
5V 2120	43.81	1.154	5389
5V 2240	47.36	1.219	5694
5V 2360	51.02	1.284	5999
5V 2500	55.43	1.361	6354
5V 2650	60.34	1.442	6735
5V 2800	65.42	1.524	7116
5V 3000	72.48	1.633	7624
5V 3150	77.98	1.714	8005
5V 3350	85.60	1.823	8513
5V 3550	93.54	1.932	9021

Nominal Dimension



8V Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 1000(10in.)	33.40	1.435	2540
8V 1060	35.89	1.521	2692
8V 1120	38.37	1.607	2845
8V 1180	40.83	1.693	2997
8V 1250	43.69	1.794	3175
8V 1320	46.53	1.894	3353
8V 1400	49.77	2.009	3556
8V 1500	53.78	2.153	3810
8V 1600	57.75	2.296	4064
8V 1700	61.70	2.440	4318
8V 1800	65.62	2.583	4572

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 1900	69.50	2.727	4826
8V 2000	73.35	2.870	5080
8V 2120	77.93	3.042	5385
8V 2240	82.46	3.214	5690
8V 2360	86.94	3.387	5994
8V 2500	92.12	3.588	6350
8V 2650	97.60	3.803	6731
8V 2800	103.00	4.018	7112
8V 3000	110.09	4.305	7620
8V 3150	115.33	4.520	8001
8V 3350	122.20	4.807	8509

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 3550	128.94	5.094	9017
8V 3750	135.55	5.381	9525
8V 4000	143.64	5.740	10160
8V 4250	151.52	6.099	10795

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 4500	159.21	6.458	11430
8V 4750	166.69	6.816	12065
8V 5000	173.98	7.175	12700
8V 5200	179.66	7.462	13208

Nominal Dimension



SPZ Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZ 487(mm)	2.90	0.038	500
SPZ 512	2.96	0.040	525
SPZ 562	3.10	0.044	575
SPZ 587	3.17	0.046	600
SPZ 612	3.24	0.048	625
SPZ 630	3.28	0.049	643
SPZ 637	3.30	0.050	650
SPZ 662	3.37	0.052	675
SPZ 670	3.39	0.053	683
SPZ 687	3.44	0.054	700
SPZ 710	3.50	0.055	723
SPZ 722	3.53	0.056	735
SPZ 737	3.58	0.058	750
SPZ 750	3.61	0.059	763
SPZ 762	3.64	0.059	775
SPZ 772	3.67	0.060	785
SPZ 787	3.71	0.061	800
SPZ 800	3.75	0.062	813
SPZ 812	3.78	0.063	825
SPZ 825	3.81	0.064	838
SPZ 837	3.85	0.065	850
SPZ 850	3.88	0.066	863
SPZ 862	3.92	0.067	875
SPZ 875	3.95	0.068	888
SPZ 887	3.98	0.069	900
SPZ 900	4.02	0.070	913
SPZ 912	4.05	0.071	925
SPZ 925	4.09	0.072	938
SPZ 937	4.12	0.073	950
SPZ 950	4.15	0.074	963
SPZ 962	4.19	0.075	975
SPZ 987	4.26	0.077	1000
SPZ 1000	4.29	0.078	1013

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZ 1012	4.32	0.079	1025
SPZ 1024	4.36	0.080	1037
SPZ 1037	4.39	0.081	1050
SPZ 1047	4.42	0.082	1060
SPZ 1060	4.45	0.083	1073
SPZ 1077	4.50	0.084	1090
SPZ 1087	4.53	0.085	1100
SPZ 1112	4.60	0.087	1125
SPZ 1120	4.62	0.087	1133
SPZ 1137	4.66	0.089	1150
SPZ 1162	4.73	0.091	1175
SPZ 1180	4.78	0.092	1193
SPZ 1187	4.80	0.093	1200
SPZ 1202	4.84	0.094	1215
SPZ 1212	4.87	0.095	1225
SPZ 1237	4.94	0.097	1250
SPZ 1250	4.97	0.098	1263
SPZ 1262	5.00	0.099	1275
SPZ 1287	5.07	0.100	1300
SPZ 1312	5.14	0.102	1325
SPZ 1320	5.16	0.103	1333
SPZ 1337	5.21	0.104	1350
SPZ 1347	5.23	0.105	1360
SPZ 1362	5.28	0.106	1375
SPZ 1387	5.34	0.108	1400
SPZ 1400	5.38	0.109	1413
SPZ 1412	5.41	0.110	1425
SPZ 1437	5.48	0.112	1450
SPZ 1462	5.55	0.114	1475
SPZ 1487	5.62	0.116	1500
SPZ 1500	5.65	0.117	1513
SPZ 1512	5.68	0.118	1525
SPZ 1537	5.75	0.120	1550

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZ 1562	5.82	0.122	1575
SPZ 1587	5.89	0.124	1600
SPZ 1600	5.92	0.125	1613
SPZ 1612	5.96	0.126	1625
SPZ 1637	6.02	0.128	1650
SPZ 1662	6.09	0.130	1675
SPZ 1687	6.16	0.132	1700
SPZ 1700	6.20	0.133	1713
SPZ 1737	6.30	0.136	1750
SPZ 1762	6.36	0.138	1775
SPZ 1787	6.43	0.140	1800
SPZ 1800	6.47	0.141	1813
SPZ 1812	6.50	0.142	1825
SPZ 1837	6.57	0.143	1850
SPZ 1862	6.64	0.145	1875
SPZ 1887	6.70	0.147	1900
SPZ 1900	6.74	0.148	1913
SPZ 1937	6.84	0.151	1950
SPZ 1987	6.98	0.155	2000

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZ 2000	7.01	0.156	2013
SPZ 2037	7.11	0.159	2050
SPZ 2120	7.34	0.166	2133
SPZ 2137	7.38	0.167	2150
SPZ 2187	7.52	0.171	2200
SPZ 2240	7.66	0.175	2253
SPZ 2287	7.79	0.179	2300
SPZ 2360	7.99	0.184	2373
SPZ 2450	8.24	0.192	2463
SPZ 2500	8.37	0.195	2513
SPZ 2540	8.48	0.198	2553
SPZ 2650	8.78	0.207	2663
SPZ 2690	8.89	0.210	2703
SPZ 2800	9.19	0.219	2813
SPZ 2840	9.30	0.222	2853
SPZ 3000	9.73	0.234	3013
SPZ 3150	10.14	0.246	3163
SPZ 3350	10.68	0.262	3363
SPZ 3550	11.23	0.277	3563

Nominal Dimension



SPA Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPA 732(mm)	4.59	0.091	750
SPA 757	4.65	0.095	775
SPA 782	4.72	0.098	800
SPA 800	4.76	0.100	818
SPA 807	4.78	0.101	825
SPA 832	4.85	0.104	850
SPA 850	4.90	0.106	868
SPA 857	4.92	0.107	875
SPA 882	4.98	0.110	900
SPA 900	5.03	0.112	918
SPA 907	5.05	0.113	925
SPA 932	5.12	0.116	950
SPA 950	5.17	0.119	968
SPA 957	5.19	0.120	975
SPA 982	5.25	0.123	1000
SPA 1000	5.30	0.125	1018
SPA 1007	5.32	0.126	1025

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPA 1032	5.39	0.129	1050
SPA 1060	5.47	0.132	1078
SPA 1082	5.53	0.135	1100
SPA 1107	5.61	0.138	1125
SPA 1120	5.64	0.140	1138
SPA 1132	5.68	0.141	1150
SPA 1157	5.75	0.145	1175
SPA 1180	5.82	0.147	1198
SPA 1207	5.90	0.151	1225
SPA 1232	5.97	0.154	1250
SPA 1250	6.02	0.156	1268
SPA 1257	6.04	0.157	1275
SPA 1272	6.09	0.159	1290
SPA 1282	6.12	0.160	1300
SPA 1307	6.19	0.163	1325
SPA 1320	6.23	0.165	1338
SPA 1332	6.27	0.166	1350

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPA 1357	6.34	0.170	1375
SPA 1382	6.42	0.173	1400
SPA 1400	6.47	0.175	1418
SPA 1407	6.49	0.176	1425
SPA 1432	6.57	0.179	1450
SPA 1457	6.65	0.182	1475
SPA 1482	6.73	0.185	1500
SPA 1500	6.78	0.187	1518
SPA 1507	6.81	0.188	1525
SPA 1532	6.88	0.191	1550
SPA 1557	6.96	0.195	1575
SPA 1582	7.04	0.198	1600
SPA 1600	7.10	0.200	1618
SPA 1607	7.12	0.201	1625
SPA 1632	7.20	0.204	1650
SPA 1657	7.28	0.207	1675
SPA 1682	7.37	0.210	1700
SPA 1700	7.43	0.212	1718
SPA 1707	7.45	0.213	1725
SPA 1732	7.53	0.216	1750
SPA 1757	7.61	0.220	1775
SPA 1782	7.70	0.223	1800

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPA 1800	7.76	0.225	1818
SPA 1807	7.78	0.226	1825
SPA 1832	7.86	0.229	1850
SPA 1857	7.95	0.232	1875
SPA 1882	8.03	0.235	1900
SPA 1900	8.10	0.237	1918
SPA 1907	8.12	0.238	1925
SPA 1932	8.21	0.241	1950
SPA 1957	8.29	0.245	1975
SPA 1982	8.38	0.248	2000
SPA 2000	8.44	0.250	2018
SPA 2032	8.55	0.254	2050
SPA 2057	8.64	0.257	2075
SPA 2082	8.73	0.260	2100
SPA 2120	8.87	0.265	2138
SPA 2132	8.91	0.266	2150
SPA 2182	9.09	0.273	2200
SPA 2207	9.18	0.276	2225
SPA 2232	9.27	0.279	2250
SPA 2240	9.30	0.280	2258
SPA 2282	9.46	0.285	2300
SPA 2300	9.52	0.287	2318

Nominal Dimension



SPB Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPB 1250(mm)	7.59	0.268	1272
SPB 1320	7.87	0.283	1342
SPB 1400	8.21	0.300	1422
SPB 1500	8.65	0.321	1522
SPB 1600	9.12	0.343	1622
SPB 1700	9.61	0.364	1722
SPB 1800	10.12	0.386	1822
SPB 1900	10.66	0.407	1922
SPB 2000	11.22	0.429	2022
SPB 2020	11.34	0.433	2042
SPB 2120	11.93	0.454	2142
SPB 2150	12.11	0.461	2172
SPB 2240	12.67	0.480	2262

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPB 2280	12.93	0.488	2302
SPB 2360	13.45	0.506	2382
SPB 2400	13.72	0.514	2422
SPB 2500	14.40	0.536	2522
SPB 2650	15.47	0.568	2672
SPB 2680	15.69	0.574	2702
SPB 2800	16.59	0.600	2822
SPB 2840	16.90	0.608	2862
SPB 3000	18.17	0.643	3022
SPB 3150	19.42	0.675	3172
SPB 3250	20.29	0.696	3272
SPB 3350	21.17	0.718	3372
SPB 3750	24.96	0.803	3772

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPB 3800	25.46	0.814	3822
SPB 4000	27.53	0.857	4022
SPB 4250	30.24	0.911	4272
SPB 4500	33.10	0.964	4522
SPB 4560	33.81	0.977	4582
SPB 4750	36.11	1.018	4772
SPB 4820	36.98	1.033	4842
SPB 5000	39.28	1.071	5022
SPB 5070	40.19	1.086	5092

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPB 5300	43.27	1.136	5322
SPB 5600	47.48	1.200	5622
SPB 6000	53.43	1.286	6022
SPB 6300	58.14	1.350	6322
SPB 6700	64.76	1.435	6722
SPB 7100	71.76	1.521	7122
SPB 7500	79.15	1.607	7522
SPB 8000	88.93	1.714	8022

Nominal Dimension




Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPC 2000(mm)	17.20	0.794	2030
SPC 2120	19.15	0.842	2150
SPC 2240	21.10	0.889	2270
SPC 2360	23.04	0.937	2390
SPC 2500	25.30	0.992	2530
SPC 2650	27.72	1.052	2680
SPC 2800	30.12	1.112	2830
SPC 3000	33.32	1.191	3030
SPC 3150	35.71	1.250	3180
SPC 3350	38.89	1.330	3380
SPC 3550	42.05	1.409	3580
SPC 3750	45.20	1.489	3780
SPC 4000	49.12	1.588	4030
SPC 4250	53.03	1.687	4280
SPC 4500	56.91	1.786	4530
SPC 4750	60.77	1.886	4780

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPC 5000	64.61	1.985	5030
SPC 5300	69.19	2.104	5330
SPC 5600	73.74	2.223	5630
SPC 6000	79.77	2.382	6030
SPC 6300	84.25	2.501	6330
SPC 6700	90.19	2.660	6730
SPC 7100	96.07	2.818	7130
SPC 7500	101.91	2.977	7530
SPC 8000	109.13	3.176	8030
SPC 8500	116.27	3.374	8530
SPC 9000	123.33	3.573	9030
SPC 9500	130.31	3.771	9530
SPC 10000	137.21	3.976	10030
SPC 10600	145.39	4.038	10630
SPC 11200	153.45	4.454	11230
SPC 12500	170.52	4.970	12530

Industrial Belt - Narrow V-Belt

Raw Edge Cogged Belt

V-belt with cog-shaped grooves on the bottom to enhance flexibility while top and bottom parts are covered with fabrics and rubber is exposed on sides.



Construction	Functions	Materials
① Top fabric	Protects internal tension member	Cotton fabric, Polyester, Cotton synthetic fabric
② Tension member	Primary material for transferring power	Polyester, Aramid
③ Compression rubber	Maintains sectional shape by side pressure	CR
④ Bottom rubber	Absorbs shock and prevent cracking in compression rubber	CR

NR : Natural Rubber / CR: Chloroprene Rubber


Nominal Dimension



3VX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)	Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
3VX 250(10in.)	1.81	0.044	642	3VX 560	2.94	0.099	1429
3VX 265	1.86	0.047	680	3VX 600	3.10	0.106	1531
3VX 280	1.92	0.050	718	3VX 630	3.21	0.112	1607
3VX 300	1.99	0.053	769	3VX 670	3.36	0.119	1709
3VX 315	2.04	0.056	807	3VX 710	3.52	0.126	1810
3VX 335	2.11	0.059	858	3VX 750	3.67	0.133	1912
3VX 350	2.17	0.062	896	3VX 800	3.87	0.142	2039
3VX 355	2.19	0.063	909	3VX 850	4.07	0.150	2166
3VX 370	2.24	0.065	947	3VX 900	4.27	0.159	2293
3VX 375	2.26	0.066	960	3VX 950	4.47	0.168	2420
3VX 380	2.28	0.067	972	3VX 1000	4.67	0.177	2547
3VX 400	2.35	0.071	1023	3VX 1060	4.92	0.188	2699
3VX 425	2.44	0.075	1087	3VX 1120	5.17	0.199	2852
3VX 440	2.50	0.078	1125	3VX 1180	5.42	0.210	3004
3VX 450	2.53	0.080	1150	3VX 1230	5.63	0.217	3131
3VX 460	2.57	0.081	1175	3VX 1250	5.72	0.221	3182
3VX 475	2.63	0.084	1214	3VX 1320	6.02	0.233	3360
3VX 490	2.68	0.087	1252	3VX 1400	6.36	0.241	3563
3VX 500	2.72	0.089	1277	3VX 1500	6.80	0.264	3817
3VX 530	2.83	0.094	1353	3VX 1900	8.64	0.336	4833

Nominal Dimension




5VX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
5VX 500(10in.)	6.79	0.233	1275
5VX 510	6.89	0.237	1300
5VX 530	7.11	0.247	1351
5VX 540	7.21	0.251	1377
5VX 550	7.32	0.256	1402
5VX 560	7.42	0.261	1427
5VX 570	7.52	0.266	1453
5VX 580	7.63	0.271	1478
5VX 590	7.73	0.275	1504
5VX 600	7.84	0.280	1529
5VX 610	7.94	0.284	1554
5VX 630	8.15	0.294	1605
5VX 650	8.36	0.303	1656
5VX 660	8.46	0.308	1681
5VX 670	8.56	0.313	1707
5VX 680	8.66	0.317	1732
5VX 690	8.77	0.322	1758
5VX 710	8.97	0.331	1808
5VX 730	9.18	0.341	1859
5VX 740	9.28	0.346	1885
5VX 750	9.38	0.350	1910
5VX 780	9.68	0.364	1986
5VX 800	9.89	0.373	2037
5VX 810	9.99	0.378	2062
5VX 830	10.19	0.387	2113
5VX 840	10.29	0.392	2139

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
5VX 850	10.39	0.397	2164
5VX 860	10.49	0.401	2189
5VX 880	10.69	0.411	2240
5VX 900	10.89	0.420	2291
5VX 910	10.99	0.425	2316
5VX 930	11.18	0.434	2367
5VX 950	11.38	0.443	2418
5VX 960	11.48	0.448	2443
5VX 1000	11.87	0.467	2545
5VX 1030	12.16	0.481	2621
5VX 1060	12.45	0.495	2697
5VX 1080	12.65	0.504	2748
5VX 1120	13.03	0.523	2850
5VX 1150	13.32	0.537	2926
5VX 1180	13.60	0.551	3002
5VX 1230	14.07	0.574	3129
5VX 1250	14.26	0.583	3180
5VX 1320	14.91	0.616	3358
5VX 1400	15.65	0.653	3561
5VX 1500	16.55	0.700	3815
5VX 1600	17.44	0.747	4069
5VX 1700	18.31	0.792	4323
5VX 1800	19.17	0.840	4577
5VX 1900	20.01	0.885	4831
5VX 2000	20.84	0.934	5085

Nominal Dimension



SPZX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZX 630(mm)	1.84	0.051	643
SPZX 662	1.88	0.054	675
SPZX 670	1.89	0.054	683
SPZX 687	1.92	0.056	700
SPZX 710	1.95	0.058	723

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZX 750	2.00	0.061	763
SPZX 800	2.07	0.065	813
SPZX 850	2.14	0.069	863
SPZX 875	2.18	0.071	888
SPZX 900	2.21	0.073	913

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZX 925	2.25	2.954	938
SPZX 950	2.28	0.077	963
SPZX 1000	2.35	0.081	1013
SPZX 1120	2.52	0.091	1133
SPZX 1150	2.56	0.093	1163
SPZX 1250	2.70	0.101	1263
SPZX 1270	2.73	0.103	1283
SPZX 1320	2.80	0.107	1333
SPZX 1345	2.84	0.109	1358
SPZX 1400	2.92	0.114	1413
SPZX 1420	2.95	0.115	1433
SPZX 1450	2.99	0.118	1463
SPZX 1500	3.06	0.122	1513
SPZX 1520	3.09	0.123	1533
SPZX 1600	3.21	0.130	1613
SPZX 1700	3.35	0.138	1713

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPZX 1800	3.50	0.146	1813
SPZX 1900	3.64	0.154	1913
SPZX 2000	3.79	0.162	2013
SPZX 2120	3.97	0.172	2133
SPZX 2240	4.15	0.182	2253
SPZX 2360	4.33	0.191	2373
SPZX 2400	4.39	0.195	2413
SPZX 2410	4.41	0.196	2423
SPZX 2500	4.54	0.203	2513
SPZX 2540	4.60	0.206	2553
SPZX 2650	4.77	0.215	2663
SPZX 2690	4.83	0.218	2703
SPZX 2800	5.00	0.227	2813
SPZX 2840	5.06	0.230	2853
SPZX 3000	5.31	0.243	3013

Nominal Dimension



SPAX Section


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPAX 732(mm)	2.95	0.060	750
SPAX 762	3.03	0.062	780
SPAX 800	3.13	0.066	818
SPAX 850	3.26	0.070	868
SPAX 882	3.34	0.073	900
SPAX 900	3.39	0.074	918
SPAX 907	3.41	0.074	925
SPAX 932	3.47	0.077	950
SPAX 950	3.52	0.078	968
SPAX 957	3.54	0.078	975
SPAX 1000	3.65	0.082	1018
SPAX 1007	3.67	0.083	1025
SPAX 1060	3.81	0.087	1078
SPAX 1120	3.96	0.092	1138
SPAX 1150	4.04	0.095	1168
SPAX 1180	4.12	0.097	1198
SPAX 1232	4.26	0.101	1250
SPAX 1250	4.30	0.103	1268
SPAX 1282	4.38	0.106	1300
SPAX 1300	4.43	0.107	1318

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPAX 1320	4.48	0.109	1338
SPAX 1332	4.51	0.110	1350
SPAX 1357	4.58	0.112	1375
SPAX 1382	4.64	0.114	1400
SPAX 1400	4.69	0.115	1418
SPAX 1432	4.77	0.118	1450
SPAX 1450	4.82	0.119	1468
SPAX 1457	4.84	0.120	1475
SPAX 1482	4.90	0.122	1500
SPAX 1500	4.95	0.124	1518
SPAX 1532	5.03	0.126	1550
SPAX 1550	5.08	0.128	1568
SPAX 1582	5.16	0.130	1600
SPAX 1600	5.21	0.132	1618
SPAX 1607	5.23	0.132	1625
SPAX 1650	5.34	0.135	1668
SPAX 1700	5.47	0.140	1718
SPAX 1750	5.60	0.143	1768
SPAX 1782	5.68	0.147	1800
SPAX 1800	5.72	0.148	1818

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPAX 1832	5.81	0.151	1850
SPAX 1850	5.85	0.152	1868
SPAX 1882	5.94	0.155	1900
SPAX 1900	5.98	0.156	1918
SPAX 1950	6.11	0.161	1968
SPAX 1982	6.19	0.163	2000
SPAX 2000	6.24	0.165	2018
SPAX 2032	6.32	0.167	2050
SPAX 2057	6.39	0.169	2075
SPAX 2120	6.55	0.175	2138
SPAX 2182	6.71	0.180	2200
SPAX 2207	6.77	0.182	2225
SPAX 2232	6.84	0.184	2250
SPAX 2240	6.86	0.185	2258
SPAX 2282	6.96	0.188	2300
SPAX 2300	7.01	0.189	2318

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPAX 2307	7.03	0.190	2325
SPAX 2332	7.09	0.192	2350
SPAX 2360	7.16	0.194	2378
SPAX 2382	7.22	0.196	2400
SPAX 2432	7.35	0.200	2450
SPAX 2482	7.48	0.204	2500
SPAX 2500	7.52	0.206	2518
SPAX 2532	7.60	0.208	2550
SPAX 2582	7.73	0.212	2600
SPAX 2607	7.80	0.214	2625
SPAX 2650	7.90	0.218	2668
SPAX 2682	7.99	0.220	2700
SPAX 2732	8.11	0.224	2750
SPAX 2782	8.24	0.228	2800
SPAX 2800	8.29	0.318	2818
SPAX 3000	8.80	0.341	3018

Nominal Dimension




SPBX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPBX 1250(mm)	7.22	0.238	1272
SPBX 1260	7.27	0.239	1282
SPBX 1320	7.54	0.251	1342
SPBX 1340	7.63	0.255	1362
SPBX 1400	7.90	0.266	1422
SPBX 1410	7.94	0.269	1432
SPBX 1450	8.12	0.276	1472
SPBX 1500	8.35	0.285	1522
SPBX 1600	8.79	0.304	1622
SPBX 1700	9.23	0.323	1722
SPBX 1800	9.68	0.342	1822
SPBX 1900	10.11	0.361	1922
SPBX 2000	10.55	0.380	2022
SPBX 2020	10.64	0.384	2042

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPBX 2120	11.07	0.403	2142
SPBX 2150	11.20	0.409	2172
SPBX 2180	11.33	0.414	2202
SPBX 2240	11.58	0.426	2262
SPBX 2280	11.76	0.433	2302
SPBX 2360	12.10	0.448	2382
SPBX 2410	12.31	0.458	2432
SPBX 2500	12.69	0.475	2522
SPBX 2530	12.82	0.481	2552
SPBX 2650	13.32	0.504	2672
SPBX 2680	13.45	0.508	2702
SPBX 2800	13.95	0.531	2822
SPBX 3000	14.77	0.569	3022

Nominal Dimension




SPCX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPCX 2000(mm)	17.61	0.710	2030
SPCX 2120	18.44	0.753	2150
SPCX 2240	19.27	0.795	2270
SPCX 2360	20.08	0.838	2390
SPCX 2500	21.02	0.888	2530

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
SPCX 2650	22.01	0.942	2680
SPCX 2800	22.99	0.995	2830
SPCX 3000	24.27	1.065	3030
SPCX 5050	35.92	1.793	5080


Industrial Belt - Joined V-Belt

Wrapped Belt



Features
 The belt prevents abrasion caused by length differences among v-shaped belt used on one pulley, It can adjust the hold based on the need.

Nominal Dimension




A Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
A 45(inch)	14	90.62	2.734	1187
A 47	14	93.44	2.856	1238
A 48	32	268.53	6.666	1263
A 50	32	275.03	6.944	1314
A 51	32	278.27	7.083	1339
A 55	32	291.10	7.639	1441
A 56	32	294.28	7.778	1466
A 57	32	297.45	7.916	1492
A 58	32	300.61	8.055	1517
A 59	32	303.76	8.194	1543
A 60	32	306.90	8.333	1568
A 64	32	319.36	8.889	1670
A 67	32	328.58	9.305	1746
A 68	32	331.64	9.444	1771
A 69	32	334.68	9.583	1797
A 71	32	340.74	9.861	1847
A 74	32	349.75	10.277	1924
A 75	32	352.73	10.416	1949
A 76	32	355.70	10.555	1974
A 78	32	361.61	10.833	2025

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
A 79	32	364.55	10.972	2051
A 82	32	373.31	11.388	2127
A 83	32	376.20	11.527	2152
A 84	32	379.09	11.666	2178
A 85	32	381.97	11.805	2203
A 88	32	390.53	12.222	2279
A 90	32	396.19	12.500	2330
A 96	32	412.91	13.333	2482
A 98	32	418.40	13.611	2533
A 100	32	423.84	13.888	2584
A 102	32	429.25	14.166	2635
A 104	32	434.61	14.444	2686
A 105	32	437.28	14.583	2711
A 106	32	439.93	14.722	2736
A 110	32	450.44	15.277	2838
A 150	32	546.30	20.833	3854
A 200	32	782.26	27.777	5124
A 225	32	807.90	31.249	5759
A 240	32	823.30	33.322	6140

Nominal Dimension




B Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
B 48(inch)	28	322.37	9.148	1269
B 49	28	325.49	9.338	1295
B 50	28	328.61	9.529	1320
B 51	28	331.73	9.720	1346
B 52	28	334.85	9.910	1371
B 53	28	337.97	10.101	1396
B 55	28	344.22	10.482	1447
B 56	28	347.34	10.672	1473
B 57	28	350.46	10.863	1498
B 58	28	353.59	11.054	1523
B 59	28	356.71	11.244	1549
B 60	28	359.84	11.435	1574
B 61	28	362.96	11.625	1600
B 62	28	366.09	11.816	1625
B 63	28	369.21	12.007	1650
B 64	28	372.34	12.197	1676
B 65	28	375.46	12.388	1701
B 66	28	378.59	12.578	1727
B 67	28	381.72	12.769	1752
B 68	28	384.84	12.959	1777
B 70	28	391.10	13.341	1828
B 71	28	394.23	13.531	1854
B 72	28	397.35	13.722	1879
B 73	28	400.48	13.912	1904
B 75	28	406.74	14.294	1955
B 77	28	413.00	14.675	2006
B 78	28	416.13	14.865	2031
B 79	28	419.26	15.056	2057
B 80	28	422.40	15.246	2082
B 81	28	425.53	15.437	2108
B 82	28	428.66	15.628	2133

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
B 83	28	431.79	15.818	2158
B 84	28	434.93	16.009	2184
B 85	28	438.06	16.199	2209
B 86	28	441.19	16.390	2235
B 88	28	447.46	16.771	2285
B 89	28	450.59	16.961	2311
B 90	28	453.73	17.152	2336
B 91	28	456.87	17.343	2362
B 92	28	460.00	17.533	2387
B 93	28	463.14	17.724	2412
B 95	28	469.41	18.105	2463
B 96	28	472.55	18.296	2489
B 97	28	475.69	18.486	2514
B 98	28	478.82	18.677	2539
B 99	28	481.96	18.867	2565
B 100	28	485.10	19.058	2590
B 101	28	488.24	19.249	2616
B 102	28	491.38	19.439	2641
B 103	28	494.52	19.630	2666
B 104	28	497.66	19.820	2692
B 105	28	500.80	20.011	2717
B 106	28	503.94	20.201	2743
B 107	26	507.08	20.392	2768
B 110	26	516.51	20.964	2844
B 150	26	642.49	28.587	3860
B 210	26	832.55	40.022	5384
B 255	26	975.94	48.598	6527
B 300	26	1120.06	57.174	7670
B 400	26	1442.94	76.232	10210
B 500	26	1769.42	95.290	12750
B 530	26	1868.07	101.007	13512

Nominal Dimension




C Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
C 50(inch)	22	367.92	11.880	1330
C 65	22	397.15	15.444	1711
C 68	22	403.64	16.157	1787
C 72	22	412.62	17.107	1888
C 75	22	419.61	17.820	1965
C 78	22	426.81	18.533	2041
C 80	22	431.73	19.008	2092
C 81	22	434.23	19.246	2117
C 83	22	439.29	19.721	2168
C 85	22	444.45	20.196	2219
C 87	22	449.71	20.671	2269
C 88	22	452.37	20.909	2295
C 90	22	457.76	21.384	2346

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
C 96	22	474.53	22.810	2498
C 98	22	480.30	23.285	2549
C 100	22	486.18	23.760	2600
C 103	22	495.16	24.473	2676
C 105	22	501.27	24.948	2727
C 108	22	510.62	25.661	2803
C 112	22	523.41	26.693	2904
C 151	22	668.09	35.987	3895
C 204	22	922.74	48.619	5241
C 255	22	1230.89	60.773	6537
C 300	22	1554.20	71.498	7680
C 360	22	2060.25	85.797	9204
C 420	22	2651.97	100.097	10728

Nominal Dimension




D Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
D 128(inch)	15	760.48	34.367	3327
D 144	15	768.85	38.663	3733
D 158	15	778.95	42.422	4089
D 210	15	839.15	56.384	5409
D 225	15	863.15	60.411	5790
D 240	15	890.13	64.438	6171
D 270	15	953.02	72.493	6933

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
D 285	15	988.92	76.521	7314
D 300	15	1027.80	80.548	7695
D 315	15	1069.65	84.575	8076
D 360	15	1213.04	96.660	9219
D 390	15	1323.51	104.712	9981
D 480	15	1726.30	128.877	12267
D 600	15	2429.90	161.097	15315

Industrial Belt - Joined V-Belt


Narrow Belt



Features

- Higher power transmission efficiency
- The use of smaller pulley
- Space saving
- Excellent resistance against heat, oil and wear

Nominal Dimension




3V Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
3V 500(10in.)	54	326.37	7.984	1293
3V 530	54	329.12	8.463	1369
3V 560	54	332.64	8.942	1445
3V 600	54	338.51	9.581	1547
3V 630	54	343.80	10.060	1623
3V 670	54	352.04	10.699	1725
3V 710	54	361.63	11.337	1826
3V 750	54	372.58	11.976	1928
3V 800	54	388.16	12.774	2055
3V 850	54	405.86	13.573	2182

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
3V 900	54	425.67	14.371	2309
3V 950	54	447.60	15.170	2436
3V 1000	54	471.64	15.968	2563
3V 1060	54	503.28	16.926	2715
3V 1120	48	537.96	15.897	2868
3V 1180	48	575.69	16.748	3020
3V 1250	48	623.55	17.742	3198
3V 1320	48	675.56	18.736	3376
3V 1400	48	740.06	19.871	3579
3V 1480	48	809.98	21.005	3782

Nominal Dimension




5V Section

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 530(10in.)	30	437.02	12.118	1367
5V 560	30	451.42	12.804	1443
5V 600	30	470.62	13.718	1545
5V 630	30	485.01	14.404	1621
5V 670	30	504.20	15.319	1723
5V 710	30	523.39	16.233	1824
5V 750	30	542.58	17.148	1926
5V 800	30	566.56	18.291	2053
5V 850	30	590.54	19.434	2180
5V 900	30	614.51	20.578	2307

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 950	30	638.48	21.721	2434
5V 1000	30	662.44	22.864	2561
5V 1050	30	686.40	24.007	2688
5V 1060	30	691.19	24.232	2713
5V 1120	30	719.94	25.610	2866
5V 1180	30	748.68	26.982	3018
5V 1200	30	758.26	27.432	3069
5V 1210	30	763.05	27.661	3094
5V 1250	30	782.20	28.582	3196
5V 1320	30	815.71	30.175	3374

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 1400	30	854.01	32.004	3577
5V 1500	30	901.86	34.299	3831
5V 1600	30	949.70	36.586	4085
5V 1650	30	973.61	37.729	4212
5V 1700	30	997.52	38.872	4339
5V 1800	30	1045.32	41.148	4593
5V 1900	30	1093.11	43.445	4847
5V 2000	30	1140.88	45.732	5101
5V 2120	30	1198.19	48.476	5406

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
5V 2240	30	1255.47	51.220	5710
5V 2360	30	1312.73	53.964	6015
5V 2500	30	1379.50	57.150	6371
5V 2650	30	1451.01	60.579	6752
5V 2800	30	1522.48	64.025	7133
5V 3000	30	1617.72	68.598	7641
5V 3150	30	1689.11	72.028	8022
5V 3350	30	1784.24	76.601	8530




Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 1060(10in.)	20	742.00	37.987	2708
8V 1120	20	792.30	40.137	2861
8V 1180	20	842.16	42.287	3013
8V 1320	20	956.84	47.304	3369
8V 1500	20	1100.86	53.754	3826
8V 1600	20	1179.20	57.338	4080
8V 1700	20	1256.35	60.921	4334
8V 1800	20	1332.30	64.505	4588
8V 1900	20	1407.07	68.088	4842
8V 2000	20	1480.64	71.672	5096
8V 2120	20	1567.35	75.972	5401
8V 2240	20	1652.35	80.273	5705
8V 2360	20	1735.63	84.573	6010
8V 2400	20	1763.01	86.006	6112

Belt No.	Max Rib	List Price	Wt.(Approx)kg	Outside Length(mm)
8V 2500	20	1830.62	89.590	6366
8V 2650	20	1929.80	94.923	6747
8V 2800	20	2026.30	100.341	7128
8V 3000	20	2150.80	107.508	7636
8V 3150	20	2241.04	112.883	8017
8V 3350	20	2357.20	120.051	8525
8V 3550	20	2468.58	127.218	9033
8V 3750	20	2575.20	134.385	9541
8V 4000	20	2701.76	143.344	10176
8V 4250	20	2820.88	152.235	10811
8V 4500	20	2932.54	161.190	11446
8V 4750	20	3036.76	170.221	12081
8V 5300	20	3239.80	189.931	13478

Industrial Belt - Joined V-Belt


Raw Edge Cogged Belt



Features

- Minimize temporary shock & vibration
- Prevent popping on the pulley & torsion of belt
- Stabilize tension
- Maintains the length stability

Nominal Dimension



3VX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)	Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2R 3VX 460	8.31	0.203	1188	4R 3VX600	21.91	0.530	1544
2R 3VX 470	8.50	0.207	1213	4R 3VX800	22.99	0.707	2052
2R 3VX 500	9.05	0.221	1290	4R 3VX1000	24.52	0.884	2560
2R 3VX 600	10.63	0.265	1544	4R 3VX1200	26.50	1.060	3068
2R 3VX 630	11.03	0.278	1620	4R 3VX2000	38.89	1.768	5100
2R 3VX 670	11.51	0.296	1721	5R 3VX400	23.47	0.443	1036
2R 3VX 710	11.93	0.314	1823	5R 3VX450	24.89	0.498	1163
2R 3VX 1000	13.12	0.441	2560	5R 3VX475	25.58	0.525	1226
3R 3VX335	15.92	0.222	870	5R 3VX500	26.28	0.553	1290
3R 3VX375	16.49	0.249	972	5R 3VX530	27.09	0.587	1366
3R 3VX425	17.15	0.282	1099	5R 3VX560	27.90	0.619	1442
3R 3VX450	17.46	0.299	1163	5R 3VX600	28.96	0.664	1544
3R 3VX475	17.75	0.316	1226	5R 3VX630	29.74	0.697	1620
3R 3VX500	18.03	0.332	1290	5R 3VX670	30.76	0.741	1721
3R 3VX560	18.64	0.372	1442	5R 3VX710	31.76	0.786	1823
3R 3VX574	18.77	0.379	1478	5R 3VX750	32.74	0.830	1925
3R 3VX600	19.00	0.398	1544	5R 3VX760	32.98	0.841	1950
3R 3VX630	19.25	0.418	1620	5R 3VX800	33.94	0.885	2052
3R 3VX670	19.55	0.445	1721	5R 3VX900	36.23	0.996	2306
3R 3VX710	19.81	0.471	1823	5R 3VX950	37.34	1.051	2433
3R 3VX850	20.42	0.565	2179	5R 3VX1000	38.40	1.107	2560
3R 3VX1000	20.58	0.663	2560	5R 3VX1200	42.36	1.328	3068
4R 3VX475	21.46	0.420	1226	5R 3VX2000	53.06	2.213	5100
4R 3VX500	21.54	0.442	1290				

Nominal Dimension




5VX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2R 5VX 500	16.45	0.606	1291
2R 5VX 530	17.13	0.643	1367
2R 5VX 560	17.81	0.679	1443
2R 5VX 600	18.73	0.728	1545
2R 5VX 630	19.42	0.764	1621
2R 5VX 670	20.35	0.813	1723
2R 5VX 710	21.28	0.861	1824
2R 5VX 750	22.22	0.910	1926
2R 5VX 800	23.39	0.970	2053
2R 5VX 850	24.58	1.031	2180
2R 5VX 900	25.78	1.092	2307
2R 5VX 950	26.98	1.152	2434
2R 5VX 1000	28.19	1.213	2561
2R 5VX 1060	29.65	1.286	2713
2R 5VX 1120	31.12	1.358	2866
2R 5VX 1180	32.61	1.431	3018
2R 5VX 1250	34.36	1.516	3196
2R 5VX 1320	36.12	1.601	3374
2R 5VX 1400	38.16	1.698	3577
3R 5VX 500	23.29	0.912	1291
3R 5VX 530	24.23	0.966	1367
3R 5VX 560	25.17	1.021	1443

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
3R 5VX 600	26.42	1.094	1545
3R 5VX 630	27.36	1.149	1621
3R 5VX 670	28.60	1.222	1723
3R 5VX 710	29.83	1.295	1824
3R 5VX 750	31.06	1.368	1926
3R 5VX 800	32.59	1.459	2053
3R 5VX 850	34.11	1.550	2180
3R 5VX 900	35.63	1.641	2307
3R 5VX 950	37.13	1.732	2434
3R 5VX 1000	38.63	1.823	2561
3R 5VX 1060	40.42	1.933	2713
3R 5VX 1120	42.19	2.042	2866
3R 5VX 1180	43.95	2.152	3018
3R 5VX 1250	46.00	2.279	3196
3R 5VX 1320	48.02	2.407	3374
3R 5VX 1400	50.32	2.553	3577
3R 5VX 1500	53.17	2.735	3831
3R 5VX 1600	55.98	2.918	4085
3R 5VX 1700	58.76	3.100	4339
3R 5VX 1800	61.50	3.282	4593
3R 5VX 1900	64.22	3.465	4847
3R 5VX 2000	66.90	3.647	5101

Nominal Dimension



BX Section

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2R BX 51	17.03	0.438	1343
2R BX 53	17.45	0.455	1393
2R BX 55	17.86	0.472	1444
2R BX 56	18.07	0.481	1470
2R BX 58	18.48	0.498	1520
2R BX 59	18.69	0.507	1546
2R BX 60	18.90	0.515	1571
2R BX 61	19.10	0.524	1597
2R BX 62	19.30	0.532	1622
2R BX 63	19.51	0.541	1647


Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2R BX 64	19.71	0.550	1673
2R BX 65	19.92	0.558	1698
2R BX 66	20.12	0.567	1724
2R BX 67	20.32	0.575	1749
2R BX 68	20.52	0.584	1774
2R BX 70	20.93	0.601	1825
2R BX 71	21.13	0.610	1851
2R BX 75	21.92	0.644	1952
2R BX 77	22.32	0.661	2003
2R BX 78	22.52	0.670	2028

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2R BX 79	22.71	0.679	2054
2R BX 80	22.91	0.687	2079
2R BX 81	23.10	0.696	2105
2R BX 83	23.49	0.713	2155
2R BX 85	23.88	0.730	2206
2R BX 90	24.84	0.773	2333
2R BX 91	25.04	0.782	2359
2R BX 93	25.42	0.799	2409
2R BX 95	25.80	0.816	2460
2R BX 97	26.17	0.833	2511
2R BX 100	26.73	0.859	2587
2R BX 103	27.29	0.885	2663
2R BX 105	27.66	0.902	2714
2R BX 108	28.21	0.928	2790
2R BX 112	28.94	0.962	2892
2R BX 120	30.37	1.031	3095
2R BX 128	31.77	1.099	3298
2R BX 136	33.15	1.168	3502
2R BX 144	34.49	1.237	3705
2R BX 158	36.77	1.357	4060
2R BX 173	39.11	1.486	4441
2R BX 180	40.16	1.546	4619
2R BX 195	42.35	1.675	5000
3R BX 51	23.58	0.657	1343
3R BX 53	24.20	0.683	1393
3R BX 55	24.81	0.709	1444
3R BX 56	25.12	0.721	1470
3R BX 58	25.73	0.747	1520
3R BX 59	26.03	0.760	1546
3R BX 60	26.34	0.773	1571
3R BX 61	26.64	0.786	1597
3R BX 62	26.94	0.799	1622
3R BX 63	27.24	0.812	1647

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
3R BX 64	27.55	0.825	1673
3R BX 65	27.85	0.837	1698
3R BX 66	28.15	0.850	1724
3R BX 67	28.45	0.863	1749
3R BX 68	28.75	0.876	1774
3R BX 70	29.34	0.902	1825
3R BX 71	29.64	0.915	1851
3R BX 75	30.83	0.966	1952
3R BX 77	31.41	0.992	2003
3R BX 78	31.71	1.005	2028
3R BX 79	32.00	1.018	2054
3R BX 80	32.29	1.031	2079
3R BX 81	32.59	1.044	2105
3R BX 83	33.17	1.069	2155
3R BX 85	33.75	1.095	2206
3R BX 90	35.19	1.160	2333
3R BX 91	35.48	1.172	2359
3R BX 93	36.05	1.198	2409
3R BX 95	36.62	1.224	2460
3R BX 97	37.18	1.250	2511
3R BX 100	38.03	1.288	2587
3R BX 103	38.87	1.327	2663
3R BX 105	39.43	1.353	2714
3R BX 108	40.26	1.391	2790
3R BX 112	41.37	1.443	2892
3R BX 120	43.55	1.546	3095
3R BX 128	45.69	1.649	3298
3R BX 136	47.80	1.752	3502
3R BX 144	49.87	1.855	3705
3R BX 158	53.42	2.036	4060
3R BX 173	57.09	2.229	4441
3R BX 180	58.77	2.319	4619
3R BX 195	62.26	2.512	5000

Industrial Belt - V-Ribbed Belt

V-ribbed belt have wide top width and thin thickness, it provides consistent tension while driving by connecting in the each rib. It is also called Poly V-belt or Micro V-belt.



Features

- The wide width and thin height provide the excellent flexibility.
- High power transmission under operational conditions of high-speed rotation, reverse bending and a small diameter pulley.
- Maintains consistent tension during operation for cords of high modulus and low shrinkage.
- Excellent in resistance against heat, oil and wear.
- Enhances power transmission efficiency by reducing slip during operation.

Construction	Functions	Materials
① Upper fabric	Protects internal tension member	Cotton, synthetic
② Adhesion rubber	Supports and protects adhesiveness of tension member	CR, EPDM
③ Tension member	Primary material for transferring power	Polyester, Nylon
④ Compression rubber	Maintains belt shape and enhances side pressure	CR, EPDM

CR: Chloroprene Rubber / EPDM: Ethylene Propylene Diene Monomer

Nominal Dimension



J Section

Belt No.	Max Rib	Belt No.	Max Rib	Belt No.	Max Rib	Belt No.	Max Rib
180PJ	30	300PJ	30	430PJ	30	610PJ	30
190PJ	30	320PJ	30	460PJ	30	650PJ	30
200PJ	30	340PJ	30	490PJ	30	730PJ	30
220PJ	30	360PJ	30	520PJ	30	870PJ	30
240PJ	30	380PJ	30	550PJ	30	920PJ	30
260PJ	30	400PJ	30	580PJ	30	980PJ	30
280PJ	30						


| Grinded PJ belt |

- a. Materials : CR based
- b. Tension member : Polyester Cable Cord (P.C.C)

| Molded PJ belt |

- a. Materials : CR/BR based
- b. Tension member : Nylon
- c. Max Rib : 210 Ribs


Nominal Dimension



L Section

Belt No.	Belt No.	Belt No.	Belt No.
PL500(inch)	PL695	PL865	PL1150
PL540	PL725	PL915	PL1215
PL560	PL765	PL975	PL1230
PL615	PL780	PL990	PL1295
PL635	PL795	PL1065	PL1310
PL655	PL815	PL1120	PL1455
PL675	PL840		

Nominal Dimension



M Section

Belt No.	Belt No.	Belt No.	Belt No.
PM900(inch)	PM1185	PM1650	PM2560
PM940	PM1230	PM1760	PM2710
PM990	PM1310	PM1830	PM3010
PM1060	PM1390	PM1980	PM3310
PM1115	PM1470	PM2130	PM3610
PM1150	PM1610	PM2410	

Nominal Dimension




H Section

PH Belt are available upon request.

Industrial Belt - Timing Belt

Timing belt function a synchronous driving like a gear or chain, it is so called synchronous belt.



Features

- May solve problems which can be happen by using the chain related to degrading power transmission during high-speed operation, and the distance problem between the driving and the driven part, and driving problem under the conditions of oil spreading.
- Prevents belt elasticity by using glass fiber for tension member.
- Excellent in resistance against heat, oil and wear.
- Guarantees high power transmission efficiency under driving conditions of high speed and severe temperature fluctuation.
- Show stable performance on high-speed rotation.

Construction	Functions	Materials
① Rear rubber	Protects tension member	CR, HNBR
② Tension member	Primary material for transferring power	Glass Fiber
③ Teeth rubber	Protects tension member, maintains belt shape	CR, HNBR
④ Bottom fabric	Maintains belt and teeth shape	Nylon

CR : Chloroprene Rubber / HNBR : Hydrogenated Acrylonitrile-Butadiene Rubber

Nominal Dimension

2.032

 0.51 1.14

MXL Section

Belt No.	List Price	Wt.(Approx)kg
200MXL1800	93.23	0.84
236MXL1800	98.72	0.98

Belt No.	List Price	Wt.(Approx)kg
240MXL1800	98.98	1.00

Nominal Dimension

5.08

 1.25 2.30

XL Section

Belt No.	List Price	Wt.(Approx)kg
210XL1800	106.36	1.26
340XL1800	131.95	2.04
352XL1800	134.75	2.11
370XL1800	138.20	2.22
380XL1800	139.39	2.28
390XL1800	142.01	2.34

Belt No.	List Price	Wt.(Approx)kg
400XL1800	144.35	2.40
450XL1800	154.01	2.70
460XL1800	155.21	2.76
480XL1800	160.25	2.88
490XL1800	161.45	2.94
630XL1800	189.66	3.76

Nominal Dimension




L Section

Belt No.	List Price	Wt.(Approx)kg
210L1800	112.33	1.56
225L1800	115.88	1.67
240L1800	118.82	1.78
255L1800	122.47	1.89
270L1800	125.90	2.01
285L1800	129.45	2.12
300L1800	133.00	2.23
315L1800	135.51	2.34
319L1800	136.89	2.37
322.5L(322L)1800	137.74	2.40
345L1800	142.49	2.56
367.5L(367L)1800	148.36	2.73

Belt No.	List Price	Wt.(Approx)kg
390L1800	152.96	2.90
420L1800	159.71	3.12
450L1800	166.69	3.34
480L1800	173.89	3.57
510L1800	180.87	3.79
525L1800	183.38	3.90
540L1800	186.93	4.01
600L1800	200.50	4.46
660L1800	214.68	4.90
817.5L(817L)1800	249.69	6.07
900L1800	269.04	6.67

Nominal Dimension



H Section

Belt No.	List Price	Wt.(Approx)kg
230H1800	133.11	2.16
240H1800	135.84	2.25
270H1800	145.24	2.54
300H1800	153.68	2.82
320H1800	160.46	3.01
330H1800	163.08	3.10
340H1800	165.69	3.19
350H1800	168.30	3.29
360H1800	172.48	3.38
370H1800	175.21	3.47
375H1800	176.21	3.52
390H1800	180.92	3.66
400H1800	183.53	3.76
410H1800	187.13	3.85
420H1800	189.83	3.94
450H1800	198.27	4.23
480H1800	207.68	4.51
490H1800	210.29	4.60

Belt No.	List Price	Wt.(Approx)kg
510H1800	217.10	4.79
540H1800	225.52	5.07
560H1800	231.73	5.26
570H1800	234.46	5.35
585H1800	239.14	5.49
600H1800	243.86	5.63
630H1800	252.18	5.92
660H1800	261.70	6.20
700H1800	273.82	6.57
730H1800	282.15	6.86
750H1800	288.45	7.04
800H1800	303.68	7.51
820H1800	308.90	7.70
840H1800	315.72	7.89
850H1800	318.33	7.98
900H1800	333.07	8.45
1000H1800	362.93	9.43

Nominal Dimension



S5M Section

Belt No.	List Price	Wt.(Approx)kg
4800S5M950	156.98	2.38
4800S5M1000	161.68	2.51
4800S5M1050	165.83	2.63
4800S5M1125	172.82	2.82
4800S5M1195	180.21	2.99
4800S5M1270	187.69	3.18

Belt No.	List Price	Wt.(Approx)kg
4800S5M1420	202.14	3.56
4800S5M1595	218.35	4.00
4800S5M1790	237.89	4.48
4800S5M1800	238.26	4.51
4800S5M2000	257.89	4.99

Nominal Dimension




S8M Section

Belt No.	List Price	Wt.(Approx)kg
4800S8M520	126.10	1.93
4800S8M560	130.98	2.08
4800S8M600	135.74	2.23
4800S8M632	139.27	2.35
4800S8M640	139.61	2.38
4800S8M720	149.25	2.67
4800S8M800	158.86	2.97
4800S8M880	168.50	3.27
4800S8M920	173.36	3.41
4800S8M960	178.12	3.56
4800S8M1040	187.76	3.86
4800S8M1120	196.39	4.16

Belt No.	List Price	Wt.(Approx)kg
4800S8M1200	206.12	4.45
4800S8M1280	215.65	4.75
4800S8M1312	219.08	4.87
4800S8M1384	227.99	5.14
4800S8M1440	234.90	5.34
4800S8M1600	253.18	5.94
4800S8M1760	272.52	6.53
4800S8M1800	277.40	6.68
4800S8M2000	300.44	7.42
4800S8M2400	347.70	8.91
4800S8M2600	371.81	9.65
4800S8M2800	394.84	10.39

Nominal Dimension



S14M Section

Belt No.	List Price	Wt.(Approx)kg
4800S14M966	267.10	7.66
4800S14M1190	313.74	9.44
4800S14M1400	357.92	11.10
4800S14M1610	401.57	12.77
4800S14M1778	437.09	14.10

Belt No.	List Price	Wt.(Approx)kg
4800S14M1890	460.47	14.99
4800S14M2100	504.64	16.65
4800S14M2310	548.30	18.32
4800S14M2450	578.28	19.43
4800S14M2590	607.20	20.52

